



PRODUCT CATALOG



SNOW | FOG | CONFETTI | BUBBLES | SCENT | FOAM | FLOGOS

ABOUT US

Global Special Effects is the largest visual special effects company in the world. We specialize in Evaporative Snow™, foam, fog, cryo, bubbles, confetti, Flogos™, and all the fluids and accessories that go along with them.

Our special effects have been featured in thousands of major motion pictures, commercials, and music videos. We also have contracts with all major theme parks and attractions around the world.

OUR STORY

In 1990 innovative magician, Francisco Guerra, was on the hunt for an artificial snow machine for his next magic performance. After searching high and low with no luck finding a machine, he invented his own. From there, his first company, Snow Masters, was born. Through many years of success, SnowMasters expanded its manufacturing to produce an array of special effect machines for the entire industry, which has since transformed into Global Special Effects.

Today, Global Special Effects is the world's largest manufacturer of visual special effects products and accessories nestled in the beautiful rolling hills of Lexington, Alabama, USA. Our company was created from innovation, and developing innovative visual special effects technology continues to be a top priority at Global Special Effects. We are a financially strong company with an exceptional and dedicated workforce. Some of the core strengths of our company are the following attributes:

>> INNOVATION


We possess several U.S. and international patents relating to Francisco Guerra's special effects technology and machines. We believe that continual improvement and innovation is the key to future growth for Global Special Effects.

>> QUALITY

We take pride in providing exceptional product quality. All of our machines are sold with a warranty which covers repairs or replacements. Our customers continually return to receive the same great service and quality products year after year.

>> PRODUCT LINE

Today, we manufacture much more than the Evaporative Snow™ that originally started our business. We provide exceptional special effects machines including snow, foam, cryo, fog, bubbles, scent, and our line of specialty Flogos machines.



GLOBAL
SPECIAL EFFECTS

SNOW

MACHINES + FLUIDS



SNOW | FOG | CONFETTI | BUBBLES | SCENT | FOAM | FLOGOS

T-1500 MAX

Evaporative Snow Machine



SNOW

M • A • S • T • E • R • S

Manufacturing the finest
snow machines in the world!

www.snowmasters.com

SPECIFICATIONS

Size of Unit: 25"L x 18"W x 25"H
Weight: 60 Pounds
Material: Rugged Polypropylene

Electrical requirements

1-15amp, 110v circuit per machines.
Also available: 100V and 220V
Warm Up Time: NONE
Noise Levels: 75db @ 10'

Distance of Snow

From ground base: Throw: 50 feet plus
Width: Over 20 feet
Hanging Throw: 50 feet plus (Starting height of 10')
Width: Over 20 feet

Snow Flake Control

Size of Flake: Light to snowstorm.
Snowflake can be adjusted by DMX control, hardwired control or stand-alone controls.

Fan Control

1/3 Horsepower 20 inch impeller
Variable speed control on the actual machine. Remote on/off by DMX or Hardwire remote.
CFM; Max 4765

Standard Color Available: Black or White

Evaporative Time

Small to Medium Flakes: 30 to 90 seconds
Large Flakes: 90 to 120 seconds.

Snow Machine Controls

Lighting Console: Non-dim circuits patch to separate channels.
Remote: 30' hardwire controller
DMX: USITT Standard: 4 Channels
Channel 1 On/Off
Channel 2 Timer Length of Cycle
Channel 3 Duration of Cycle
Channel 4 Flake Size

Liquid Capacity

Tank Capacity: One gallon/4 liters or external 5 gallons
Snow Production Per Gallon: 1 to 1.5 hrs
For Continuous Use, Try the Auto Refill Station

LIFETIME
limited warranty

Warranty: Snow Masters "snowmachines" are covered against manufacturing defects by a lifetime limited warranty. See detail inside carton.

TEL: 256-229-5551

T-1500 Mini



SNOW
M·A·S·T·E·R·S
SPECIAL EFFECTS

www.snowmasters.com

SPECIFICATIONS

Size of Unit: 22.5" L x 22.5" W x 22.5" H
Weight: 52 Pounds
Material: Rugged Polypropylene and Metal

Electrical requirements

1-15amp, 110v circuit per machines.
Also available: 100V and 220V
Warm Up Time: NONE
Noise Levels: 75db @ 10'

Distance of Snow

From ground base: Throw: 50 feet plus
Width: Up to 15 feet
Hanging Throw: 50 feet plus (Starting height of 10')

Snow Flake Control

Size of Flake: Light to snowstorm.
Snowflake can be adjusted by DMX control, hardwired control or stand-alone controls.

Fan Control

1/3 Horsepower 16 inch impeller
Variable speed control on the actual machine. Remote on/off by DMX or Hardwire remote.
CFM 3000: RPM 2700

Standard Color: Black-Standard. Optional in White

Evaporative Time

Small to Medium Flakes: 30 to 90 seconds
Large Flakes: 90 to 120 seconds.

Snow Machine Controls

Lighting Console: Non-dim circuits patch to separate channels.
Remote: 30' hardwire controller
DMX: USITT Standard: 4 Channels
Channel 1 On/Off
Channel 2 Timer Length of Cycle
Channel 3 Duration of Cycle
Channel 4 Flake Size

Liquid Capacity

Tank Capacity: One gallon/4 liters or external 5 gallons
Snow Production Per Gallon: 1 to 1.5 hrs
For Continuous Use, Try the Auto Refill Station



TEL: 256-229-5551

T-1400 Snowmachine



GLOBAL
SPECIAL EFFECTS

Manufacturing the finest
snow machines in the world!

www.GlobalSpecialEffects.com

SPECIFICATIONS

Size of Unit: 19.5"L x 10"W x 13"H with Yoke
Weight: 36 pounds
Ship Weight: 38 pounds (46 pounds with fluid)
Hose Length: 25 ft. hose
Material: Steel for brackets and yoke

Electrical Requirements:

15 amp, 110v circuits per machine.

Also available in: 100V and 220V

Warm Up Time: Instant Snow

Noise Levels: 74 db @ 3 meter (snow machines are tuned by a professional acoustician to remove motor noise).

Distance of Snow

Throw: 25' to 35' (Starting height of 15')

Width: 8' to 12'

Snow Flake Control

Size of Flake: Snowflake can be adjusted by DMX control, hardwired control or stand alone controls.

Evaporative Time

Small to Medium Flakes: 30 to 90 seconds

Large Flakes: 90 to 120 seconds. Please refer to users manual "Evaporative Snow Technology". Totally evaporative snow is possible as long as smaller flakes are chosen and the adjustment is properly set.

Snow Machine Controls

Remote Control: 30-foot hardwire controller.

DMX: USITT Standard: 4 Channels
Channel 1 On/Off
Channel 2 Timer Length of Cycle
Channel 3 Duration of Cycle
Channel 4 Flake Size

Pick Points

Rig Points: On top of machines, Yoke

Liquid Capacity

Tank Capacity: One gallon / 4 liters

Snow Production Per Gallon: 1 to 1.5 hr

For Continuous Use, Try the Auto Refill Station

LIFETIME
limited warranty

Global Special Effects T-1400 is covered against manufacturing defects by a lifetime limited warranty.

(256) 229-5551

T-1600 Snowmachine



**Whisper
Quiet**

SNOW
M • A • S • T • E • R • S

Manufacturing the finest
snow machines in the world!

www.snowmasters.com

SPECIFICATIONS

Size of Unit: 44"L x 16"W x 14"H (w/o Yoke)
Weight: 40 pounds
Material: Predominantly Polyethylene except for brackets, yoke and cover.

Electrical requirements:

10 amp, 110v circuits per machine.

Also available in: 100V and 220V

Warm Up Time: Instant Snow

Noise Levels: 68 db @ 3 meter (snow machines are tuned by a professional acoustician to remove motor noise).

Distance of Snow

Throw: 20' (Starting height of 15')

Width: 8' to 15'

Snow Flake Control

Size of Flake: Light to flurry. Snowflake can be adjusted by DMX controlled, hardwired control and stand alone controls.

Custom Colors

Standard: Black — Various colors available.

Evaporative Time

Small to Medium Flakes: 30 to 90 seconds

Large Flakes: 90 to 120 seconds. Please refer to users manual "Evaporative Snow Technology". Totally evaporative snow is possible as long as smaller flakes are chosen and the adjustment is properly set.

Snow Machine Controls

Light Board Control: Non-dim circuit patch to separate channel.

Remote Control: 30-foot hardwire controller.

DMX: On/Off
DMX on-board.
4 Channel Controls
Flake Size
Length of Cycle
Duration Time

Pick Points

Rig Points: On top of machines, Yoke

Liquid Capacity

Tank Capacity: One gallon / 4 liters

Snow Production Per Gallon: 1 to 1.5 hrs



TEL: 256-229-5551

T-1100 Snowmachine



SNOW
M • A • S • T • E • R • S

Manufacturing the finest
snow machines in the world!

www.snowmasters.com

SPECIFICATIONS

Size of Unit: 19.5"L x 10"W x 13"H with Yoke
Weight: 32 pounds
Ship Weight: 32 pounds (40 pounds with fluid)
Material: Steel for brackets and yoke

Electrical requirements:

10 amp, 110v circuits per machine.

Also available in: 100V and 220V

Warm Up Time: Instant Snow

Noise Levels: 74 db @ 3 meter (snow machines are tuned by a professional acoustician to remove motor noise).

Distance of Snow

Throw: 25' to 35' (Starting height of 15')

Width: 8' to 12'

Snow Flake Control

Size of Flake: Snowflake can be adjusted by DMX control, hardwired control or stand alone controls.

Custom Colors

Standard: Black — Various colors available.

Evaporative Time

Small to Medium Flakes: 30 to 90 seconds

Large Flakes: 90 to 120 seconds. Please refer to users manual "Evaporative Snow Technology". Totally evaporative snow is possible as long as smaller flakes are chosen and the adjustment is properly set.

Snow Machine Controls

Remote Control: 30-foot hardwire controller.

DMX: USITT Standard: 4 Channels
Channel 1 On/Off
Channel 2 Timer Length of Cycle
Channel 3 Duration of Cycle
Channel 4 Flake Size

Pick Points

Rig Points: On top of machines, Yoke

Liquid Capacity

Tank Capacity: One gallon / 4 liters

Snow Production Per Gallon: 1 to 1.5 hr

For Continuous Use, Try the Auto Refill Station



TEL: 256-229-5551

T-1000

Evaporative Snow Machine



SNOW
M • A • S • T • E • R • S

Manufacturing the finest
snow machines in the world!

SPECIFICATIONS

Size of Unit: 20.5" x 10.5" x 11"
Weight: 35 pounds
Ship Weight: 35 pounds (40 pounds with fluid)
Material: Steel for brackets and yoke

Electrical requirements:

16 amp, 110v circuits per machine.

Warm Up Time: Instant Snow
Noise Levels: 74 db @ 3 meter (snow machines are tuned by a professional acoustician to remove motor noise).

Distance of Snow

Throw: 25' to 35' (Starting height of 15')
Width: 8' to 15'

Snow Flake Control

Size of Flake: Small flurry to large silver dollar flake.

Custom Colors

Standard: Black

Evaporative Time

Small to Medium Flakes: 30 to 90 seconds
Large Flakes: 90 to 120 seconds. Please refer to users manual "Evaporative Snow Technology". Totally evaporative snow is possible as long as smaller flakes are chosen and the adjustment is properly set.

Snow Machine Controls

Remote Control: 30-foot controller.

Pick Points

Rig Points: On top of machines, Yoke

Liquid Capacity

Tank Capacity: One gallon / 4 liters

Snow Production Per Gallon: 1 to 1.5 hr

For Continuous Use, Try the Auto Refill Station



TEL: 256-229-5551



specifications

Size of Unit: 21"L x 21"W x 22"H (w/o Yoke)
Weight: 64 pounds
Material: Polyethylene, Metal

Electrical requirements:

20 amps, 110v circuits per machine.

Also available in: 220V

Warm Up Time: Instant Snow

Noise Levels: 75db @ 3 meter

Distance of Snow

Throw: 75' (Starting height of 15')

Width: 20' to 30'

Snow Flake Control

Size of Flake: Light to flurry. Snowflake can be adjusted by DMX controlled, hardwired control and stand alone controls.

Evaporative Time

Small to Medium Flakes: 30 to 90 seconds

Large Flakes: 90 to 120 seconds. Please refer to users manual "Evaporative Snow Technology". Totally evaporative snow is possible as long as smaller flakes are chosen and the adjustment is properly set.

Snow Machine Controls

Light Board Control: Non-dim circuit patch to separate channel.

Remote Control: 30-foot hardwire controller.

DMX: On/Off
DMX on-board.
4 Channel Controls
Flake Size
Length of Cycle
Duration Time

Pick Points

Rig Points: On top of machines, Yoke

Liquid Capacity

Snow Production Per Gallon: 15 to 20 minutes



scan with your phone



THE AMAZING SNOWMAN

specifications



Size:

Height: 27"

Weight: 15lbs / 18lbs with box

Size: 18"L x 18"W x 29"H

Electrical requirements:

10amp, 110v circuits per machine.

Snow Fall Area: 15ft

- 20ft

Evaporative Time:

-90 - 120 seconds

Liquids:

Tank Capacity: 2Ls

Duration: 15min / 1/2gal at continuous usage.

Solution Type: SMF-IC Concentrate

Recommended Areas of Use:

Entrances, doorways, porches, or near holiday decor.

Construction:

Made in the USA. Plastic body.

Patent Number: US6,474,090 B2

The Amazing Snowman

Is a great way to experience the charm of gently falling snow any time of year!

Whether it is for a business or residential application, seasonally or for special events

-It is sure to get peoples attention!

ORDER YOURS TODAY!

THE AMAZING SNOW WOMAN

specifications

Size:

Height: 27"

Weight: 15lbs / 18lbs with box

Size: 18"L x 18"W x 29"H

Electrical requirements:

10amp, 110v circuits per machine.

Snow Fall Area: 15ft

- 20ft

Evaporative Time:

-90 - 120 seconds

Liquids:

Tank Capacity: 2Ls

Duration: 15min / 1/2gal at continuous usage.

Solution Type: SMF-IC Concentrate

Recommended Areas of Use:

Entrances, doorways, porches, or near holiday decor.

Construction:

Made in the USA. Plastic body.

Patent Number: US6,474,090 B2

The Amazing Snow Woman

Is a great way to experience the charm of gently falling snow any time of year!

Whether it is for a business or residential application, seasonally or for special events

-It is sure to get peoples attention!

ORDER YOURS TODAY!

SNOW MACHINE

specifications

Description:

- Snow Machine (Consumer Model)

Size:

Weight: 11 lbs

Box Size: 11" x 13" x 15"

Electrical requirements:

10amp, 110v circuits per machine.

Snow Fall Area:

15ft - 20ft

Evaporative Time:

~90 - 120 seconds

Liquids:

Tank Capacity: 2Ls

Duration: 1hr/gl at continuous useage.

(Consumption rate of .5oz per minute)

Solution Type: SMF - 1C

Container Qty: 40HQ 276

Features & Uses:

- Snow tube extends up to 8 ft fluid
- Great for creating a realistic snow effect for your holiday display.



FREE SHIPPING
US STANDARD
*****ONLY*****

Magic Lamp Snow Machine

FEATURES:

- ✓ **Simple Plug-In Use**
- ✓ **Snow Masters' Evaporative Snow**
- ✓ **Comes With Self-Standing Bracket**

SPECIFICATIONS

The Magic Lamp™ takes the functionality of a street lamp post and adds a spectacular and crowd dazzling snow effect.

Designed for numerous aesthetic outdoor uses; decorative and portable, multiple snow nozzles allow for broad coverage with Global Special Effects' Evaporative Snow™. Even Indoor snowmaking is possible, allowing venues to add snow attractions where least expected. The Magic Lamp can also be mounted permanently in any location.

Electrical Requirements

12 amp, 110V circuits per machine

(Also available in 220v)

Warm Up Time: Instant

Power Chord: 15 ft. grounded (male)

Dimensions

Height: 129 in.

Width at base: 25 in. x 25 in.

Width at lamps: 40 in.

Weight: 290 lbs.

Shipping Weight: 500 lbs. (approx.)

Shipping Dimensions: 137 in. x 32 in. x 38 in.

Fluid Capacity

5 to 15 gallons (approx. eight hours of snow production at optimal flake size setting per 5 gal.)

DMX Controls

DMX on-board

On/Off

4 Channel Controls

Flake Size

Length of Cycle

Duration Time

Accessories

Hard Wire Remote

FG-100 Liquid Snow

Snow Glow UV Snow Additive

Made in the USA



TEL: 256-229-5551

info@globalspecialeffects.com
www.globalspecialeffects.com



GLOBAL
SPECIAL EFFECTS

Flocking Machine



SNOW
M • A • S • T • E • R • S

Manufacturing the finest
snow machines in the world!

www.snowmasters.com

SPECIFICATIONS

Dimensions: 21" x 22" x 50"
Weight: 70 lbs. empty (230 lbs. Full)
Material: 3/16" Aluminum
Description: This machine is designed for ground, tree, or bush snow coverage in outdoor events. The SnoFoam we use in our products is very eco friendly and evaporative. The snow tends to last for around 4 hours depending on the temperature of the climate. Our flocking machine is easily mobile and will cover about 700 square feet of straight ground coverage per tank. Comes standard with 20' hose or longer per request.

Electrical Requirements

(Compressor recommended)

110v or 220v
4.9 scfm@ 90 psi
1.6 hp 33 gal.

Distance

Throw: 10' to 15'
Width: 1' to 2'

Liquid Capacity

Tank Capacity: 30 gallon
1 tank covers approximately 700 square feet of ground coverage.
Coverage on trees and bushes may vary. Fluid used:
Flocking fluid.

Control Options

Variable liquid and air flow controls on board



LIFETIME
limited warranty

Warranty- SnowMasters "snow machines" are covered against manufacturing defects by a lifetime limited warranty. See details inside carton.

TEL: 256-229-5551

FAUX SNOW

specifications



About:

Faux Snow is a biodegradable powder that when mixed with water looks and feels like snow/ice and can be used in theater sets as well as exterior scenes for a realistic snow look.

Instructions:

1. Place 2 tbsp of Faux Snow in a clean container.
2. Place ~1/2cup of water and watch it slowly turn into snow! (mix ratio[powder/water]:1/4.5)
3. Stir a few times until most of the water is absorbed.
4. Gradually add more water for the consistency of snow that you prefer.
(full instructions, measuring cup, & MSDS sheets are inside the container.)

Size:

Comes in containers of 1.5lbs of powder.
(makes over 50lbs of snow)

Coverage Yield:

One 1.5lb pail mixed with 6.75gl of water can cover as much ground as 1,879.5 sq/in (13.05 sq/ft.)

Warning:

This product is not for human consumption.

SNOW FLUIDS

>> **EVAPORATIVE SNOW™ CONCENTRATE**

8 oz. Evaporative Snow™ Concentrate per 120 oz. of water. One gallon of Evaporative Snow™ Concentrate yields 16 gallons of ready-to-use fluid. One gallon of ready-to-use fluid produces up to 60 minutes of continuous snow depending on desired size of snowflake and machine settings. Guaranteed never to clog our machines or leave residue. Available in 8 oz, 1 gal, 5 gal, and 55 gal.

>> **EVAPORATIVE SNOW™ PRE-MIX**

The Evaporative Snow™ Pre-Mix is ready-to-use. No dilution necessary. One gallon produces up to 60 minutes of continuous snow depending on desired size of snowflake and machine settings. Guaranteed never to clog our machines or leave residue. Available in 1 gal, 5 gal, and 55 gal.

>> **EVAPORATIVE SNOW™ SCENTED PRE-MIX**

The Evaporative Snow™ Scented Pre-Mix is the same great quality snow fluid in all your favorite scents. Ready-to-use. No dilution necessary. One gallon produces up to 60 minutes of continuous snow depending on desired size of snowflake and machine settings. Guaranteed never to clog our machines or leave residue. Sold in 1 gallon bottles. Global Special Effects can create custom scents to fit your need! Some of our best-selling scents are: Christmas Morning, Apple Cinnamon, Brown Sugar, Vanilla, Gingerbread, Candy Cane, Pina Colada, and Bubble Gum.

>> **EVAPORATIVE SNOW™ UV-ADDITIVE PRE-MIX**

The Evaporative Snow™ UV-Additive Pre-Mix is ready-to-use. It has the same great quality formula as the original Evaporative Snow™ but now with the ability to glow under black light. One gallon produces up to 60 minutes of continuous snow depending on desired size of snowflake and machine settings. Guaranteed never to clog our machines or leave residue. Sold in 1 gallon bottles.



>> **VALUE SNOW**

Value Snow is a variation of the Evaporative Snow™ fluid. It has a slightly different formula and longer evaporation time. Value Snow is ready-to-use. No dilution necessary. One gallon produces up to 60 minutes of continuous snow depending on desired size of snowflake and machine settings. Guaranteed never to clog our machines or leave residue. Available in 8 oz. and 5 gallon bottles.

>> **AMAZING SNOWMAN FLUID**

This formulation is designed for The Amazing Snowman only. The Amazing Snowman fluid is sold as a 6-pack of (3) oz. bottles. Just add distilled water and let the fun begin! Mix (1) 3 oz. bottle of Amazing Snowman fluid with 1/2 gallon of distilled water for 15 minutes of run time. (1) 6-pack of Amazing Snowman fluid produces 1.5 hours of run time.

>> **FLOCKING FLUID**

Flocking Fluid is designed exclusively for our Flocking Machine. It produces a large amount of thick snow. This solution is a concentrate and has a dilution ratio of 1 part Flocking Fluid to 30 parts water. Sold in 1 gallon bottles.

>> **SNOW-GLOW**

Snow Glow is a UV Reactant Additive that can be mixed with snow solution to produce a snow that glows under black light. Mix (1) 8 oz. bottle of Snow Glow with 1 gallon of ready-to-use snow fluid to produce a UV Reactant snow. Available in individual 8 oz. bottles or a case of (12) 8 oz. bottles.

SNOW CLEANER

>> **NO CLOG LIQUID LINE CLEANER**

The No Clog Liquid Line Cleaner is a unique formula used to keep snow machine fluid lines clean and in working order. Use 3 oz. of No Clog Liquid Line Cleaner to run through your snow machine after use. Available in 8 oz bottles, a case of (12) 8 oz. bottles, or 1 gallon bottles.



SNOW ACCESSORIES

>> FAUX SNOW GROUND COVER



Faux Snow is the most realistic artificial snow on the market! Just add water to produce snow that is cold to the touch and looks just like the real thing. Faux Snow is ideal for producing realistic snow cover on the ground. It's biodegradable, non-toxic, and environmentally safe! Available in 1.5 lb or 5 gallon buckets.

>> FAUX SNOW BLANKET



Faux Snow Blankets are great for creating the perfect snow scene. This flame resistant product allows you to make a scene that takes on new form when you create snow-covered hills, rooftops, and valleys that look like you just walked into a snow wonderland. Each Blanket is 27 inches by 20 yards, giving you a total of 135 square foot.

>> THEATER SNOW



Our plastic shredded theatrical snow is ideal for a snow curtain drop or ground cover. It floats like a dream. Great for video and displays. One box can cover an area of 5X5 by 3 inches high. Used in display windows throughout the world. Great for cars, window ledges, around trees, in trees, and covering up bushes.

>> SNOW CURTAIN



This product is light, easy to use, and gives you a real snowfall, using our theater snow, that accumulates and is totally recyclable. Controlled by remote control, DMX or Non-dim power.



GLOBAL
SPECIAL EFFECTS

>> WEATHER RESISTANT SNOW MACHINE COVERS



These weather resistant snow machine covers are the perfect way to enjoy your Evaporative Snow™ Machines outdoors rain or shine. Made out of all weather vinyl. This cover allows for easy access to controls and fluid reservoir. Available for T-1000, T-1100, T-1500 Mini, T-1500 Max, T-1600, and SnowStorm.

>> ZIG OSCILLATOR



The Zig Oscillator is a motorized rotating mount. Rotates machine between 15, 45 or 90 degrees. 4-Channel DMX control with variable standalone features. Includes Snow Machine mount and truss attachment via dual C-Clamps. It will increase the spray pattern from one machine to the equivalent of 3 machines. 75 lb hanging weight capacity.

>> HEAVY DUTY 2" C-CLAMP



The C-Clamp is designed to securely hold your machine in place when hung from places like a truss. It is created from high tensile, aircraft grade, extruded aluminum, so it's both stronger and lighter than cast iron clamps. The C-Clamps safety factor far exceeds industry standards, breaking at over 2-1/2 tons.

>> AUTOMATIC REFILL SYSTEM



The Automatic Refill System maintains fluid levels in your special effects devices. Although it was designed for use in Global Special Effects machines, the Automatic Refill System is compatible with all other equipment that uses liquids. The system detects fluid level in the equipment's small built-in reservoir and signals a transfer pump connected to a multi-supply drum to refill the reservoir, all without user intervention. This is an ideal solution for installations with limited or difficult access such as ceilings or stages.



>> **DMX RELAY CONTROLLER MODULE**



The DMX Relay Controller Module is designed for all Evaporative Snow™ Machines, Cryo Jets, Bubble Machines, Fog Machines, Foam Machines, etc. This is ideal for any machine that does not have an internal DMX control. The line voltage relay pack plugs directly into the power input of the machines.

>> **PAIL MOUNTING BRACKET**



The Pail Mounting Bracket is designed to hold a 5 gallon bucket alongside any of the Global Special Effects machines. This accessory is ideal when hanging machines on a truss, so users don't have to keep taking machine down to refill with fluid. Mount it alongside your machine for all the fun without the headache.

>> **HARD WIRE REMOTE**



The Hard Wire Remote operates as a remote control source to operate snow machines on the 900 mode. This accessory includes a 25 foot, 5 pin DMX male quick connect. It is compatible with any two channel device. When used in any snow machines it can be daisy chained to as many machines as necessary.

>> **MASTER BLASTER CONTROL BOX**



The Master Blaster Control Box is designed to make controlling "instant-on" effects a breeze. This accessory can control up to 4 machines at once. Ideal for situations like special announcements/celebrations when you want special effects to appear at a specific time. Simply hold down the red button when you want the effects to appear.



GLOBAL
SPECIAL EFFECTS

FOG/HAZE

MACHINES + FLUIDS



SNOW | FOG | CONFETTI | BUBBLES | SCENT | FOAM | FLOGOS

F-400

specifications

FOGMasters F-400 FOG MACHINE



Unit Weight: 3.31lbs

Size: 9.06 x 4.33 x 4.33

Description: Value size fog machine, ideal for use where space is limited for concealing machine.

Electrical Requirements

110v 50/60hz

Power: 400w

Warm up Time: 6 minutes.

Output of Fog

2,000 cu.ft/minute.

Approx fog Projection: 3.5 meters.

Controller Compatibility

Switch Control

Liquid Capacity

Tank Capacity: 0.3L



GLOBAL
SPECIAL EFFECTS

11054 County Road 71

Lexington, AL 35648

256-229-5551

WWW.GLOBALSPECIALEFFECTS.COM

F-400 LED Blue or Green

specifications



Electrical Requirements:

110V 50/60hz

Power: 400W

Effect Output:

2000 cu.ft/min

Effect Projection:

Approximately 3.5 meters

Fluid Capacity:

0.3 liters

Weight:

3.31lbs

Size:

9.06 x 4.33 x 4.33

FEATURES:

- Powerful 400W cast aluminum heat exchanger
- Wired remote - Easy on/off operation
- Ultrabright LED technology
- 5 minute warm up time

Product Description:

Value priced professional quality fog machine. High output, with great effect projection!

This unit is ideal for theatrical productions, haunted house venues, special event & more!

Contact a representative today!



F-900

specifications

FOGMasters F-900 FOG MACHINE



Unit Weight: 10.14lbs

Size: 13.2 x 7.5 x 5.5

Description: Compact High Volume Fog Machine, ideal for clubs, small theaters, and parties.

Electrical Requirements

110v 50/60hz

Power: 900w

Warm up Time: 8 minutes.

Output of Fog

5,000 cu.ft/minute.

Approx fog Projection: 8 meters.

Controller Compatibility

Switch Control

Remote Control

Liquid Capacity

Tank Capacity: 1L



GLOBAL
SPECIAL EFFECTS

11054 County Road 71
Lexington, AL 35648
256-229-5551

WWW.GLOBALSPECIALEFFECTS.COM

F-1500

specifications

FOG Masters

F-1500 FOG MACHINE



Unit Weight: 13.2 lbs

Size: 18.31 x 8.86 x 7.68

Description: Value priced professional quality fog machine. High output, and great fog projection, make this an ideal machine for theatrical productions & haunted house venues.

Electrical Requirements

110v 50/60hz

Power: 1500w

Warm up Time: 10 minutes.

Output of Fog

20,000 cu.ft/minute.

Approx Fog Projection: 12 meters.

Controller Compatibility

Switch Control

Remote Control

Liquid Capacity

Tank Capacity: 2L



GLOBAL
SPECIAL EFFECTS

11054 County Road 71
Lexington, AL 35648
256-229-5551

WWW.GLOBALSPECIALEFFECTS.COM

F-1500A

specifications

FOG Masters **F-1500A FOG MACHINE**



Unit Weight: 14.33 lbs
Size: 21.1 x 9.84 x 5.71
Description: Value priced professional quality fog machine with DMX capabilities. Ideal machine for theatrical productions & haunted house venues.

Electrical Requirements

110v 50/60hz
Power: 1500w

Warm up Time: 10 minutes.

Output of Fog

20,000 cu.ft/minute.

Approx Fog Projection: 12 meters.

Controller Compatibility

Switch Control
Remote Control
DMX512

Liquid Capacity

Tank Capacity: 2L



GLOBAL
SPECIAL EFFECTS

11054 County Road 71
Lexington, AL 35648
256-229-5551

WWW.GLOBALSPECIALEFFECTS.COM

F-1500M

specifications



Electrical Requirements:

110V 50/60hz

Power: 1500W

Effect Output:

20,000 cu.ft/min

Effect Projection:

Approximately 15 meters

Fluid Capacity:

2.5 liters

FEATURES:

- Powerful 1500W cast aluminum heat exchanger
- DMX able / daisy chain connectivity - No Limit!
- Manual moving head
- Wireless remote operation
- Convenient switch control
- 10 minute warm up time

Product Description:

Value priced professional quality fog machine. High output, with great effect projection!

This unit is ideal for theatrical productions, haunted house venues, athletic event intro's & more!

Contact a representative today!



F-1500MOV

specifications



Electrical Requirements:

110V 50/60hz

Power: 1500W

Effect Output:

20,000 cu.ft/min

Effect Projection:

Approximately 12 meters

Fluid Capacity:

2 liters

FEATURES:

- Powerful 1500W cast aluminum heat exchanger
- Hard point for mountable deployment
- DMX able / daisy chain connectivity - No Limit!
- DMX able moving head
- 10 minute warm up time

Product Description:

Value priced professional quality fog machine. High output, with exceptional effect projection!

This unit is ideal for theatrical productions, stadiums, athletic event intro's & more!

Contact a representative today!



F-1500 LED

specifications



Electrical Requirements:

110V 50/60hz

Power: 1500W

Effect Output:

20,000 cu.ft/min

Effect Projection:

Approximately 11 meters

Fluid Capacity:

2 liters

FEATURES:

- Powerful 1500W cast aluminum heat exchanger
- Convenient easy to read LCD display panel
- Digital timer controls - Duration/Interval options
- DMX / daisy chain connectivity - No Limit!
- Ultrabright RGB LED technology
- Scalable effect output controls
- Wireless remote operation
- 6 minute warm up time

Product Description:

This value priced professional quality fog machine boasts the highest output of it's type, with great effect projection!

This unit is ideal for theatrical productions, haunted house venues, special event effects & more!

Contact a representative today!



Low-Lying FOG Machine

specifications

Unit Weight: 91lbs
Size: 21in x 15in x 19in

Description: Value priced professional quality low-lying fog machine. High output, with great effect projection! This unit is ideal for theatrical productions, haunted house venues, athletic event intro's & more! **NO CO2 or Dry Ice needed**
NO Refrigerating Unit needed
Compact size for easy transport
Pro Effect without the hassle!

Electical Requirements

110v 50/60hz
Power: 2000w

Output

30 cu.ft/min

Controller Compatibility

Wireless Remote
DMX

Liquid Capacity

Tank Capacity: 1½ gal.

****Machine uses FOG FLUID
and WATER ONLY**



GLOBAL
SPECIAL EFFECTS

11054 County Road 71
Lexington, AL 35674
256-229-5551

WWW.GLOBALSPECIALEFFECTS.COM



***1 year Limited Warranty. Only valid when using fluids from Global Special Effects**

SMOKE STACK

specifications

FOG Masters



Dimensions:

Measures: 18.25"L x 9.125"W x 10.5"H

Weight: 15 Pounds

(Mild steel made in the USA)

Electrical Requirements:

650watt, 6.4amps

Requires Minimum: 15amp circuit.



FOG FLUIDS

>> **DENSE FOG FLUID**

The Dense Fog Fluid is our best-selling fog solution. It produces a dense fog, that you can still see through, that lasts approximately 3-4 hours. This is the fluid most customers use in fog machines. Available in 1 gal, 5 gal, and 55 gal.

>> **LONG LASTING FOG FLUID**

The Long Lasting Fog Fluid produces a dense fog, that you can still see through, that lasts 6-9 hours depending on the environment. This is the fluid for someone who wants a semi-dense fog that lingers. Available in 1 gal, 5 gal, and 55 gal.

>> **DENSE LONG LASTING FOG FLUID**

The Dense Long Lasting Fog Fluid produces a very intense, dense, and long lasting fog that cannot be seen through. This solution is often used by Fire Departments when training. Available in 1 gal, 5 gal, and 55 gal.

>> **QUICK DISSIPATING FOG FLUID**

The Quick Dissipating Fog Fluid produces a fog that dissipates in minutes. This solution isn't very dense and has more of a haze look. Ideal for someone who wants a light fog effect. Available in 1 gal, 5 gal, and 55 gal.

>> **EXTRA QUICK DISSIPATING FOG FLUID**

The Extra Quick Dissipating Fog Fluid produces a fog that dissipates within seconds. This solution isn't very dense and has more of a haze look. Normally produces a haze that stays below the knees. Available in 1 gal, 5 gal, and 55 gal.

>> **CHILLER FOG FLUID**

The Chiller Fog Fluid is designed for use in the Low Lying Fog Machine only. This fluid produces fog that lingers below the knee. Available in 1 gal, 5 gal, and 55 gal.



H-1500

specifications

FOG Masters H-1500 HAZE MACHINE



Unit Weight: 24.3 lbs
Size: 21.7 x 11 x 10.6
Description: H-1500 Hazer represents a new generation of haze machines. The heat up time is only 1 minute. This represents a new immediate heating technology. The Haze is atomized prior to heating, this allows for even dispersal. Designed to work best with Fog Masters Haze fluid.

Electrical Requirements

110v 50/60hz
Power: 1500w

Warmup Time: 1 minute.

Output of Fog

20,000 cu.ft/minute.

Controller Compatibility

Time & Ration Controller
DMX512

Liquid Capacity

Tank Capacity: 0.5 gal

Fluid Consumption

13.5 oz/hr



WWW.GLOBALSPECIALEFFECTS.COM

H-3000 Hazer

specifications

Electrical Requirements:

110V 50/60hz

Power: 3000W

Effect Output:

50,000 cu.ft/min

Effect Projection:

Approximately 12 meters

Fluid Capacity:

5 liters

FEATURES:

- Powerful 3000W cast aluminum heat exchanger
- Hardcase for easy set-up & deployment
- Unibody design reduces leaks/spills
- DMX able / daisy chain connectivity - No Limit!
- 0.4 liters per hour fluid consumption
- Scalable effect output
- 1 minute warm up time

Product Description:

Value priced professional quality haze machine. High output, with exceptional effect projection!

This unit is ideal for theatrical productions, haunted attractions, concert / music venues & more!

Contact a representative today!



HAZE FLUIDS

>> **HAZER FLUID**

The Global Special Effect's Hazer Fluid is the best on the market. It has a ready-to-use formula with no dilution necessary. This Hazer Fluid will have a large area covered within 10-15 minutes. 1 gallon will last 50+ running hours of a steady haze. Sold in 1 gallon bottles.





GLOBAL
SPECIAL EFFECTS

CONFETTI

& CRYO MACHINES



SNOW | FOG | CONFETTI | BUBBLES | SCENT | FOAM | FLOGOS

Gas-Free Confetti Machine

specifications

Unit Weight: 128lbs
Size: 28in x 21in x 29in

Description: Our NEW Confetti Machine operates as Plug-N-Play and is a fantastic addition to any event or celebration. It comes with a remote control that controls the machine from a 100' radius. This unique machine has an adjustable launching port and easy fill confetti receptacle.

Electical Requirements

110v 50/60hz
Power: 2000w

Controller Compatibility

Wireless Remote
DMX
Stand Alone Remote

Capacity

Tank Capacity:
2lbs of Confetti

NO Co2 Required
Uses Built in Linear
Air flow technology



GLOBAL
SPECIAL EFFECTS

11054 County Road 71
Lexington, AL 35674
256-229-5551

WWW.GLOBALSPECIALEFFECTS.COM



Confetti Gerb Launcher

specifications



Size:

Fully Assembled:

35" at tallest point

36" at widest point

Base:

20"L x 9"W x 28"H

Weight:

87 lbs

Requirements:

CO2

Description:

The Global Special Effects Continuous Flow Confetti Gerb Launcher can launch 1 lb of confetti per second up to 75' high. For use with 20 lb or 50 lb liquid siphon CO2 tanks. These may be rented at local companies in your town such as AirGas. Includes hoses and manifolds.

ORDER YOURS TODAY!

CRYO-JET™ SYSTEM

specifications



Cryo-Jet:

Dimensions: 9"L x 5"W x 11"H

Weight: 7 lbs

Material: Mild Steel

Hardware:

PSI: 0-2500

Noise: 105db

Electric: .3amp, 34 watt, 110V circuit per unit

(Available in 220V)

Confetti:

Tubes: 1", 2", or 3" (pick 2)

Dimensions:

1" - 38.75"L x 1.31"W

2" - 24"L x 2.38"W

3" - 18"L x 3.50"W

Weight:

1" - 2lbs

2" - 3.5lbs

3" - 4.5lbs

Material: Mild Steel

Hose:

1 - 4ft CO2 Cannon Hose

2 - 3ft Quick-release Valve Hose

Tank Holder:

1 - CO2 Tank Holder with C-Clamp

(Holds a 20lb CO2 Tank)

Dimensions: 23"H x 8.88"W

Weight: 10lbs

Accessories:

2 - C-Clamps

1 - Dual Cannon Connector

1 - 3/8" mJic x 3/8" mJic connector

Additional Accessories (Not pictured):

- Master Blaster

- DMX Relay Control Module

- Additional C-Clamps


- Additional Cryo Jets

- Additional Quick-release Valve Hose

- Confetti

(All Sold Separately)

scan with your phone



CONFETTI ACCESSORIES

>> MULTICOLOR CONFETTI



The Multicolor Confetti is the perfect blend of bright colors to celebrate any occasion. Sold by the lb.

>> BLACK & SILVER CONFETTI



The Black & Silver Confetti is a more monochromatic blend for themed parties and celebrations. Sold by the lb.

>> RED, WHITE, & BLUE CONFETTI



The Red, White, & Blue Confetti is a perfect blend of patriotic colors for any occasion. Sold by the lb.

Cryo-Gun



SNOW
M • A • S • T • E • R • S

Manufacturing the finest
snow machines in the world!

www.snowmasters.com

SPECIFICATIONS

Dimensions: 18" x 2" x 10"
Weight: 5 lbs
Material: ABS /Mild Steel
PSI: 0-2500
Noise level: 110 db
Hardware: 30' 3000 PSI hose and
standard CO2 tank
connection

Description: This unit is the hand held version of our very popular Cryo-Jet. The Cryo-Gun shoots a 15' x 4' CO2 plume where ever and whenever the operator wants it. Used in bars or clubs for that extra little blast from the DJ booth. Also popular in stage productions when the blast is needed in a very specific spot.

Electrical Requirements

N/A

Distance

Cryo-Gun fog plume shoots up to 15' high. Plume top is about 4' in width.

Controls

Manual hand-held pistol grip trigger.

Colors

Standard Black- custom colors available upon request.

TOLL FREE 800-745-8599
TEL: 256-229-5551

CRYO-JET

specifications

FOGMasters

**Dimensions:**

9"L x 5"W x 11"H

Weight: 7 lbs

Material:

Stainless Steel/Mild Steel

Hardware:

20' 3000 PSI hose & standard CO2 tank connection

PSI: 0-2500

Noise Level: 105 db

Electric: .3amp, 34 watt, 110v circuit per unit.
(Also available in 220v & 100v)

Features:

Cryo- Jet fog plume shoots up to 20' high.

Plume top is about 4' in width.

Standard wall plug (also available: CO2 blaster relay, DMX relay.)

Built in L bracket. Optional C-clamps can be purchased for top/side mount.

Mounting holes for attachment to any solid surface.

Available Accessories:

Toilet paper launcher

Confetti Tubes

T-Shirt Launcher

CRYO ACCESSORIES

>> 4-WAY MANIFOLD SPLITTER



The 4-Way Manifold Splitter is used to attach four CO2 tanks to one Cryo Jet or Cryo Gun.

>> 2-WAY MANIFOLD SPLITTER



The 2-Way Manifold Splitter is used to attach two CO2 tanks to one Cryo Jet or Cryo Gun.

>> CRYO HOSE



The Cryo Hose is used to extend hose length between a CO2 tank and a Cryo Jet or Cryo Gun.

>> DUAL CRYO CONNECTOR



The Dual Cryo Connector is used to attached 2 Cryo Machines to a single CO2 tank.

>> CRYO JET RE-BUILD KIT



This re-build kit is intended for use with the Cryo Jet only.

>> CRYO GUN RE-BUILD KIT



This re-build kit is intended for use with the Cryo Gun only.

>> CRYO FILTER



The Cryo Filter is used to filter loose particles of CO2 in hose before it enters the Cryo Jet or Cryo Gun.

>> MEDICAL FITTING FOR DEWER TANK



This adapter is used to modify a standard CO2 fitting into a medical fitting.

>> POOR MAN'S CONFETTI STREAMER



The Poor Man's Confetti Stream is designed for use with the Cryo Jet. Load up your least favorite roll of toilet paper on the paint roller-like handle and let 'er roll! This accessory creates a blend of confetti and streamers that are sure to surprise and get a laugh. Thinner toilet paper produces more of a confetti effect, while thicker toilet paper produces more of a streamer effect.



GLOBAL
SPECIAL EFFECTS

BUBBLE

MACHINES + FLUID



SNOW | FOG | CONFETTI | BUBBLES | SCENT | FOAM | FLOGOS

B-60 Bubble Machine

specifications



Electrical Requirements:

110V 50/60hz

Power: 60W

Effect Output:

50m3

Effect Projection:

Tiny bubbles everywhere!

Fluid Capacity:

0.6 liters

Weight:

3kg

Size:

25 x 24 x 22cm

FEATURES:

- Low 60W power consumption
- Unibody design reduces leaks/spills
- Hard point attachment for mounting
- Wireless remote control
- No warm up time! Plug & play

Product Description:

Value priced professional quality compact bubble machine with high output of small diameter bubbles!

This unit is ideal for theatrical productions, community events, birthday parties, & more!

Contact a representative today!



B-60A Bubble Machine

specifications



Electrical Requirements:

110V 50/60hz

Power: 60W

Effect Output:

50m3

Effect Projection:

Big bubbles everywhere!

Fluid Capacity:

0.6 liters

Weight:

5kg

Size:

32 x 28 x 33cm

FEATURES:

- Low 60W power consumption
- Unibody design reduces leaks/spills
- Hard point attachment for mounting
- Wireless remote control
- No warm up time! Plug & play

Product Description:

Value priced professional quality compact bubble machine with great output of large diameter bubbles! This unit is ideal for theatrical productions, community events, birthday parties, & more!



Contact a representative today!

BUBBLE MASTER BM-100

Includes Wireless Remote!

- ✓ **Perfect for Parties**
- ✓ **Economic Value**
- ✓ **User Friendly**



SPECIFICATIONS

Size of Unit:

9.32L x 7.45W x 5.91H inches
23.7L x 18.9W x 15H (cm)

Shipping Weight:

13 lbs (5.9 kg)

Net Weight:

9.2 lbs (4.2 kg)

Gross Weight:

10.8 lbs (4.9 kg)

Fluid Consumption:

2 Hrs/Liter

Power Consumption:

25W

Electrical Requirements:

AC 120V/60Hz

Also Available:

AC 230V/50Hz (220V Model)

Machine Controls:

On/Off

Wireless Remote Control with range of
164 feet from the receiver

Tank Capacity:

.3 Gallons (1 Liter)

Rig Points:

Includes bracket for hanging
C-Clamp(s) sold separately

TOLL FREE 800-745-8599
TEL: 256-229-5551

www.BubbleMasters.com

B-300A Bubble Machine

specifications



Electrical Requirements:

110V 50/60hz

Power: 300W

Effect Output:

600m

Effect Projection:

10 meters

Fluid Capacity:

2.5 liters

Weight:

14kg

FEATURES:

- 300W power consumption
- Unibody design reduces leaks/spills
- Built in fan sends bubbles upwards
- No warm up time! Plug & play
- Convenient carry handle
- Quiet operation
- Remote control

Product Description:

Value priced professional quality compact bubble machine with great output of small diameter bubbles! This unit is ideal for theatrical productions, community events, birthday partys, & more!

Contact a representative today!



The Wright Bubble Machine

specifications



*These are **NOT** colored bubbles, the lighting creates this effect.

Electrical Requirements:

120V 50/60hz
Power 8 Watts
6 Amps

Effect Output:
50m3

Effect Projection:

Seemingly endless stream of perfect bubbles

Fluid Capacity:
32oz

Weight:
34 lbs

Size:
L - 28.5" W - 20" H - 18"

FEATURES:

- Low Power consumption
- Unibody design reduces leaks/spills
- Machine must be mounted using the Yoke attachment.
- No warm up time! Plug & Play

Product Description:

Top of the line professional quality bubble machine. With great output of multiple diameter bubbles! This unit is ideal for theatrical productions, community events, & much more!



Contact a representative today!

BUBBLE FLUIDS


>> **EVAPORATIVE BUBBLE FLUID**

The Evaporative Bubble Fluid is designed to be used both indoors and outdoors. This ready-to-use formula is perfect for use with any Global Special Effects Bubble Machine. Available in 1 gal, 5 gal, and 50 gal.

>> **BUBBLE GLOW**

Bubble Glow is a UV Reactant Additive that can be mixed with Bubble Fluid to produce a bubbles that glows under black light. Mix (1) 8 oz. bottle of Bubble Glow with 1 gallon of Bubble Fluid to produce UV Reactant bubbles. Sold in 8 oz. bottles.





GLOBAL
SPECIAL EFFECTS

FOAM

MACHINES + FLUID



SNOW | FOG | CONFETTI | BUBBLES | SCENT | FOAM | FLOGOS

X-STREAM II PRO-PORTER

specifications

**Dimensions:**

Hanging from eye hooks: 22"L x 22"W x 27"H

Weight: 55lbs (60lbs shipped)

Electrical Requirements:

110v, 20amps

Also Available: 220v, 20amps

Unit includes GFI protection in power supply

Standard Accessories:

Hose and Cable: 15 ft. length

Pump

GFI Box

Maximum Foam Generation:

650 Cubic Square Feet Per Minute

Foam Output:

650 Square Feet Per Minute

Recommended Solution:

FG-HDF 1 to 50 Mixture Rate

Outstanding Features:

New & Improved, Dryer Foam

Extremely Light Weight

Lifetime Warranty

Technical Support:

24-hours a day



Big Bear Foam Machine

FEATURES:

- ✓ **500 Cubic Feet of Foam Per Minute**
- ✓ **Built In Hanging Brackets**
- ✓ **Comes With Self-Standing Bracket**
- ✓ **Easy To Operate**

Included:

- **15 ft. Hose**
- **Solution Pump**
- **GFI Unit**




SNOW
M • A • S • T • E • R • S
SPECIAL EFFECTS

Making the memorable magical.

SPECIFICATIONS

Designed to produce 11,000 cubic feet of foam per gallon of solution concentrate. The Big Bear uses our standard FG-HDF solution, and can fill a standard swimming pool in nine minutes.

- 120 volts input
- 15 foot power cord (male)
- 7 amp load on high
- 900 watt load on high
- Overall weight 50 lbs
- Approximately 23 in. x 26 in. x 23 in.
- Motor: 3/4 hp
- RPM: 3500
- Phase: 1
- Pole 2P



Made in the USA

TOLL FREE 800-745-8599
TEL: 256-229-5551

www.snowmasters.com

X-Stream II Foam Machine



SPECIFICATIONS

Dimensions:

Hanging from eye hooks: 22"L x 22"W x 27"H
On tripod add 5 feet.

Foot print of tripod 44 inches x 44 inches

Stand alone weight: 60 Pounds

Electrical requirements

110v, 20 amps. Available 220v, 20 amps

Unit includes GFI protection in power supply

Standard Accessories:

Hose and Cable: 20 ft length

Maximum Foam Generation

650 Cubic Square Feet per Minute

Foam Output:

650 square feet per minute


Recommended Solutions:

FG-HDF 1 to 50 Mixture Rate

Technical Support:

24-Hour a day

X-STREAM II FOAM MACHINE SUMP PUMP SYSTEM




FoamMasters
www.foammaster.com

TOLL FREE 800-745-8599
TEL: 256-229-5551

FOAM FLUIDS

>> **HIGH DILUTION FOAM FLUID**

High Dilution Foam Fluid is designed to produce the perfect high-quality dry foam. This product is a concentrate that must be diluted with clean water. To produce ready-to-use fluid, mix 50 parts water to 1 part foam solution. Meaning, 1 gallon of High Dilution Foam Fluid produces 51 gallons of ready-to-use foam fluid. Foam Machines have a fluid consumption rate of approximately 50 gallons of fluid per hour. Available in 1 gal, 5 gal, and 55 gal.

>> **UV HIGH DILUTION FOAM GLOW FLUID**

UV High Dilution Foam Glow is a UV Reactant Additive that produces foam that glows under a black light. The dilution ratio remains 50 parts clean water to 1 part foam solution. Meaning, 1 gallon of UV High Dilution Foam Glow Fluid produces 51 gallons of ready-to-use foam fluid. Foam Machines have a fluid consumption rate of approximately 50 gallons of fluid per hour. Foam is available in white, yellow, and red. Sold in 1 gallon bottles.

>> **SCENTED HIGH DILUTION FOAM FLUID**

Scented High Dilution Foam is the same high-quality foam fluid with playful scents for an additional level of detail. The dilution ratio remains 50 parts clean water to 1 part foam solution. Meaning, 1 gallon of Scented High Dilution Foam Fluid produces 51 gallons of ready-to-use foam fluid. Foam Machines have a fluid consumption rate of approximately 50 gallons of fluid per hour. Global Special Effects can create custom scents to fit your need! Some of our best-selling scents are: Christmas Morning, Apple Cinnamon, Brown Sugar, Vanilla, Gingerbread, Candy Cane, Pina Colada, and Bubble Gum.

>> **VALUE FOAM FLUID**

Value Foam is designed with the economy user in mind. This product is a concentrate that must be diluted with clean water. To produce ready-to-use fluid, mix 50 parts water to 1 part foam solution. While HDF fluid produces a dry foam, Value Foam produces a somewhat wet foam.




>> **FOAM TINT ADDITIVE**

Foam Tint Additive is the perfect way to personalize your foam and take the entire experience to the next level. Just add one 4 oz. bottle of Foam Tint Additive into 50 gallons of clean water with 1 gallon High Dilution Foam and you're ready to go! Imagine green St. Patrick's Day foam, blue 4th of July foam, or pink Breast Cancer Awareness foam. However, it's important to note this tint does have the possibility to stain depending on the concentration of the mixture.

>> **DE-FOAMER**

Although not necessary, De-Foamer easily dissipates large volumes of foam to make clean up a breeze. It is a ready-to-use fluid, no dilution necessary. Simply apply and watch the foam instantly shrink. Then, use a Shop Vac or bucket & mop to clean up the remaining foam.





GLOBAL
SPECIAL EFFECTS

FLOGO


MACHINES + FLUID



SNOW | FOG | CONFETTI | BUBBLES | SCENT | FOAM | FLOGOS

FLOGOS LITE 24"

specifications

**Dimensions:**

Closed: 36"L x36"W x13"H

Open: 36"L x36"W x37"H

Weight: 70 lbs (120lbs shipped)

Electrical Requirements:

5 amp; 110v to 220v

Standard Accessories:

Hoses

Output:

Priming Time: 5-7 Minutes

Depends on the desired thickness. Averages one every 20-30 seconds

Helium Usage:

Note: Calculations are for average helium setting of "2."

1 head @ 16 cubic ft/hr (7.5L/min) x 3 heads
=48 cubfc ft/hr (1.34 cubic m/hr)

Requirements:

Constant flow of helium & compressed air

Air Compressor with steady 50 PSI/3.44 Bar @ 5 SCFM/141.6L/min (Minimum) 75 PSI (Maximum) Flogo Juice (ONLY)

Additional Accessories (Sold Separately):

Stencil Kit

Stencil Cutting Knife

Custom Stencils

Air Compressor

Tank Cart

Helium Tank Cover

Helium Regulator & Hose (U.S. Only)

Flogo Tank Cover

Barracades


Flogo Dye: Red, Blue, Purple, Green, Yellow

Warranty:

Limited Lifetime Warranty on functioning parts.

FLOGOS LITE 36"

specifications



Dimensions:

Closed: 48"L x 48"W x 13"H

Open: 48"L x 48"W x 37"H

Weight: 140lbs (190lbs shipped)

Electrical Requirements:

5 amp; 110v to 220v

Standard Accessories:

Hoses

Output:

Priming Time: 5-7 Minutes

Depends on the desired thickness. Averages one every 20-30 seconds

Helium Usage:

Note: Calculations are for average helium setting of "2."

1 head @ 16 cubic ft/hr (7.5L/min) x 3 heads
=48 cubic ft/hr (1.34 cubic m/hr)

Requirements:

Constant flow of helium & compressed air

Air Compressor with steady 50 PSI/3.44 Bar @ 5 SCFM/141.6L/min (Minimum) 75 PSI (Maximum)

Flogo Juice (ONLY)

Additional Accessories (Sold Separately):

Stencil Kit

Stencil Cutting Knife

Custom Stencils

Air Compressor

Tank Cart

Helium Tank Cover

Helium Regulator & Hose (U.S. Only)

Flogo Tank Cover

Barracades

Deionizer

Compass Set

Flogo Dye: Red, Blue, Purple, Green, Yellow

Warranty:

Limited Lifetime Warranty on functioning parts.

FLOGO FLUIDS

>> FLOGO™ JUICE

Flogo™ Juice is part of the magic used to create amazing Flogos™. This is a concentrate and must be diluted into ready-to-use fluid. 1 gallon of Flogo™ Juice mixes with 25 gallons of water to produce a ready-to-use fluid. After diluting, the ready-to-use Flogo™ fluid will be good for 7 days. Sold in 1 gallon bottles.

FLOGO STENCILS

>> FLOGO™ STENCILS

Flogo™ Stencils allow anyone to customize their own floating logo or symbol! Our stencil kits have designs including: heart, star, lightning bolt, clover, cloud, dove, music note, Christmas tree, cross, bat, snowflake, peace sign, teddy bear, pumpkin, butterfly, and more. Global Special Effects is also able to create new stencils for your custom logo or design. Available in 24" and 36".





GLOBAL
SPECIAL EFFECTS

SCENT

MACHINES + FLUID



SNOW | FOG | CONFETTI | BUBBLES | SCENT | FOAM | FLOGOS

The ScentZone 100

For Specific Customer Touch Points



The ScentZone 100 is a fragrance delivery system for specific targeted areas, creating an area of sensory experience for your guests, clients or patients. Thoroughly covering an area of over 2500sq, the ScentZone 100 uses a dry-wave technology keeping the area free of damaging and cumulative deposits, oils, or damp spritzers.

For easy handling, the ScentZone 100 operates a closed dry scent cartridge - replaced by mail on a monthly rotation (360 hours run time).

For easy operation, the ScentZone 100 has an LED interactive screen for select programming and pinpoint fragrance delivery.

With a sleek, high tech design of all US Steel – the ScentZone 100 is a perfect solution for customer touch points in your business, creating fragrance experiences for under \$3.00/day.



Specifications of the ScentZone 100

Dimensions	11.75"L x 7"W x 7"H
Ship Weight	9.5 pounds
Weight with Cartridge	11.5 pounds
Scent Cartridge Life	360 hours/month
Programmed Scent Flow	Pre-set / various applications
Program Override LED Screen	Select override for special applications
Power Requirements	120V or 220V AC , 2 Amps adapter included
Color	Black w/o logo, white, and custom colors available



24 Hour Technical Support
Made in the USA



256-229-5551
www.eco-scent.com

STADIUM AIR SCENT CANNON



DMX Settings		
RANGE		ACTIVITY
0	508	DMX Address-Outside Interface
509	599	Standby-No Activity
600	699	Short Cycles of ON/Off Activity
700	799	Long Cycles of ON/Off Activity
800	849	Zero to Minimal Operation
850	859	Lowest Output
860	879	Light Output
880	889	Larger Output
890	895	Ideal Range of Operation at 30 ft height
896	899	Maximum Output
900	999	Remote Control Activated (Note: 5Pin DMX
		must be disconnected)

specifications

Dimensions:

14.25"L x 21.5"W x 17.25"H

Weight: 32.5lbs

Material:

Aluminum

Electrical Requirements:

3amp, 110v circuit per machines.

Also available: 100V and 220V

Warm Up Time: NONE

Noise Levels: 74db @ 10'

Fan:

10 inch impeller

Remote on/off by DMX

or Hardwire remote.

CFM; Max 1100

Standard Color Available:

Black

Scent Cannon Controls

Lighting Console

Non-dim circuits patch
to separate channels.

Remote: 30' hardwire controller

DMX: USITT Standard 4 Channels

Channel 1 On/Off

Channel 2 Timer Length of Cycle

Channel 3 Duration of Cycle

Channel 4 Scent Output

Liquid Capacity:

Tank Capacity:

Fluid Consumption:

At 100 Percent: 25 ounces per hour
or 5 hours at 899

ES-20

specifications



Size:

Size: 8"L x 5.5"W x 10"H

Weight: 7.5 lbs

Hose Length:

3' 4"

Fluid Reservoir:

500mL / 16.9 oz

Wattage:

22W

Voltage:

110V



LIMITED LIFETIME WARRANTY
ORDER YOURS TODAY!

ES-50

specifications



Size:

Size: 10.25"L x 6.75"W x 11.5"H

Weight: 12 lbs

Hose Length:

3' 4"

Fluid Reservoir:

1000mL / 33.8 oz

Wattage:

16W

Voltage:

110V



**LIMITED LIFETIME WARRANTY
ORDER YOURS TODAY!**

The AromaStat I

For Wide Area Diffusion with Multiple Fragrance Delivery

The AromaStat I is a fragrance delivery system for large, open areas of your business. Following the airflow of your HVAC system, the fragrance can adequately cover over 10,000 square feet. The AromaStat I is the only dry-wave system for wide area scent diffusion in the industry. By using our unique closed-system cartridges, there is no direct handling of oils or refilling bottles. Your ducts are kept clear of dangerous cumulative oily deposits, system wide. For easy installation, the Aromastat I comes with simple instructions and 24/7 full tech support.

For easy operation, the Aromastat I has a super-sleek LED interactive panel for system wide adjustment of time settings, all at the touch of a finger.

With cutting edge interactive technology made in the USA – the Aromastat I is a custom solution for your wide area fragrance disbursement.

Specifications of the AromaStat 1

Dimensions	13"L x 7.125"W x 16"H
Ship Weight	25 pounds
Scent Cartridge Life	360 hours/month
Programmed Scent Flow	4 presets and 2 custom settings
Coverage	Various
Power Requirements	110V 5 amp Also available in 100v & 220v



Lifetime Warranty
24 Hour Technical Support
Made in the USA



256-229-5551
www.eco-scent.com



AromaStat I
Control Panel

Scent
Cartridge



Scent
to Duct

SCENT FLUIDS

>> SCENT CARTRIDGE



The Scent Cartridge is designed for use in the Scent Zone 100 and Aromastat machines. Each cartridge lasts up to 3 months depending on the scent and strength settings. Please contact us for custom scents. Some of our best-selling scents are: Christmas Morning, Apple Cinnamon, Brown Sugar, Vanilla, Gingerbread, Candy Cane, Pina Colada, Popcorn, Floral, Citrus, and Bubble Gum.

>> PREMIUM FRAGRANCE OIL



The Premium Fragrance Oil is designed for use in the ES-20, ES-50, and Stadium Scent Machine. Please contact us for custom scents. Some of our best-selling scents are: Christmas Morning, Apple Cinnamon, Brown Sugar, Vanilla, Gingerbread, Candy Cane, Pina Colada, Popcorn, Floral, Citrus, and Bubble Gum.