



GLOBAL
SPECIAL EFFECTS

F-1500 RGB FOG MACHINE

USER MANUAL



TECHNICAL SPECIFICATIONS

Size	18"L x 9"W x 8"H
Weight	Approx. 15 lbs
Wattage	1500W
Projection	Up to 40+ ft.
Output	20,000 cu.ft/min
Heat Up Time	10 mins

CUSTOMER SERVICE

Thank you for purchasing the F-1500 RGB Fog Machine! Please contact us with any questions or comments you may have.

Phone Support: (256) 229-5551

Email Support: info@globalspecialeffects.com

NOTE:

Please read this instruction manual thoroughly prior to use. Failure to comply with instructions could result in personal injury or property damage. Retain this instruction manual for future reference.



3 WAYS TO OPERATE

1. WIRELESS REMOTE

The F-1500 RGB Fog Machine comes with a wireless remote. The remote has (4) buttons:

- Ⓡ Red Color Button: Press R once to turn Red Lights on. Press R again to turn Red Lights off.
- ⓖ Green Color Button: Press G once to turn Green Lights on. Press G again to turn Green Lights off.
- Ⓑ Blue Color Button: Press B once to turn Blue Lights on. Press B again to turn Blue Lights off.
- Ⓜ FOG Fog Button: Press Fog to start fogging.

Press R and G and B to turn Red, Blue, and Green lights on together.

2. LCD CONTROLLER

3. DMX 512

ATTENTION:

- Keep the machine clean and free from debris.
- Ensure the machine is placed on a flat, level surface.
- Do not tilt, incline, or place machine upside down.
- Keep out of weather. This machine is not waterproof.
- Do not attempt to service or perform maintenance on the unit. Contact Global Special Effects with any issues.

SAFETY INFORMATION

- Keep out of reach of children. This machine is for adult operation only.
- Ensure the machine is placed in an open space & free from debris or obstruction. Keep any flammable material at least (10) ft. away from the machine.
- Do not add any flammable liquids such as oil, gas, perfume, etc.
- Do not run the fog machine without fluid. Running with little to no fluid can cause internal damage to the machine.
- Prior to each use, inspect all electrical devices for frays, cut cords, or any other damage and discontinue use if found.

SET UP

1. Take the machine out of the box and remove packaging.
2. Place the machine on a flat, level surface.
3. Open the fluid reservoir, fill with desired fog fluid, and reattach cap. Ensure high quality fluids are being used, as low quality fluid can cause clogs and internal damage to the machine.
4. Plug in the machine.

OPERATING

1. Ensure the machine is plugged in and turn the power switch to the ON position. Allow the machine up to (10) minutes to warm up. A red LED light will appear once the machine has finished warming up.
2. Use wireless remote, LCD Controller, or DMX to trigger machine.
3. The machine can be placed at ground level or hung with the included hanging bracket. Ensure machine angle is less than 15°.
4. Throughout use, ensure the fluid reservoir does not run empty.

MAINTENANCE

- Keep the machine clean by wiping down with dry cloths.
- Ensure the fluid reservoir cap is properly tightened to avoid spills.
- After approximately 40 hours of use, we recommend cleaning the machine by running 80% distilled water and 20% vinegar through the machine.
- If the spray nozzle requires cleaning, remove nozzle head and clean with vinegar.
- Ensure the machine is off and unplugged before cleaning or performing any maintenance. Do not clean immediately after using machine. Before any cleaning or maintenance, allow machine to cool down.

DMX CHANNELS

1. Fog Output from Low to High (23%-100%)
2. Red LED Output (15%-100%)
3. Green LED Output (15%-100%)
4. Blue LED Output (15%-100%)
5. Strobe Timing
6. Color Change Type (Flash, Strobe, Fade)
7. Color Change Speed

WARRANTY

1-YEAR LIMITED WARRANTY

Global Special Effects provides a 1-Year Limited Warranty for the F-1500 RGB from any manufacturing defects. Any misuse, abuse, or negligence automatically voids this warranty. Running any other fluids or solutions other than Global Special Effects solutions through the pump automatically voids this warranty. Global Special Effects is not responsible for loss of income, labor, or business as a result of a F-1500 RGB malfunction. Global Special Effects is not responsible for physical damage, scratching, or tube damage after shipping from the Global Special Effects manufacturing facility. For safety reasons, Global Special Effects will repair damaged electrical wires per the warranty. The 1-Year Limited Warranty applies to the circuit board and other electronics to the blower or pump. Direct all questions and claims to the Global Special Effects customer service line at (256) 229-5551.



Tech Support:
(256) 229-5551

Email:
info@globalspecialeffects.com